	Application No.	Applicant(s)
Notice of Allowability	10/776,361	EDINGER, HOLGER
	Examiner	Art Unit
	Thomas A. Morrison	3653
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>applicant's 9/22/2006 amendment</u> .		
2. The allowed claim(s) is/are <u>1-4</u> .		
<ul> <li>3.</li></ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 Nation of Information	ntant Analisation
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Dotice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	<ul><li>5. ☐ Notice of Informal Pa</li><li>6. ☒ Interview Summary</li></ul>	i i
	Paper No./Mail Date	e
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛛 Examiner's Amendr	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		nt of Reasons for Allowance
	9. 🗹 Other	•

Art Unit: 3653

### **DETAILED ACTION**

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Alfred Dassler (Reg. No. 52,794) on 12/8/2006.

# **IN THE CLAIMS**:

In claim 1, line 13, after "openings", -- , said ventilation openings extending vertically through said feed table and connecting to surrounding air -- has been inserted.

In claim 4, line 2 after "formed", "with said rows of suction apertures and" has been deleted.

Art Unit: 3653

## Allowable Subject Matter

2. The following is an examiner's statement of reasons for allowance:

Independent claim 1 of the 09/22/2006 amendment, as modified by the examiner's amendment, is patentable over the prior art of record because the teachings of the references taken as a whole do not show or render obvious the combination set forth including at least one suction belt disposed to be guided over a feed table and to be subjected to suction air from an underside thereof, in which the at least one suction belt has at least two mutually spaced-apart rows of suction openings formed therein and a continuous region, substantially without any openings, between the spaced-apart rows of suction openings and the feed table has ventilation openings formed therein directly underneath the continuous region between the rows of suction openings, and the ventilation openings extend vertically through the feed table and connect to surrounding air.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas A. Morrison whose telephone number is (571) 272-7221. The examiner can normally be reached on M-F, 8am - 5pm.

Application/Control Number: 10/776,361 Page 4

Art Unit: 3653

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Mackey can be reached on (571) 272-6916. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

12/01/2006

PATRICK MACKEY SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600